



Mathematical Practices

- 1 Make sense of problems and persevere in solving them.
- 3 Construct viable arguments and critique the reasoning of others.
- 4 Model with mathematics.
- 7 Look for and make use of structure.

Content Standards

- A.CED.1 Create equations and inequalities in one variable and use them to solve problems.
- A.REI.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution.
- Construct a viable argument to justify a solution method.
- A.REI.3 Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.

Then

You solved multi-step equations.

Now

- Solve equations with the variable on each side.
- Solve equations involving grouping symbols.



Example 1

Solve an Equation with Variables on Each Side

Solve 8 + 5c = 7c - 2. Check your solution.

$$8 + 5c = 7c - 2$$

$$-7c = -7c$$

$$8 - 2c = -2$$

$$-8 = -8$$

$$-2c = -10$$

$$\frac{-2c}{-2} = \frac{-10}{-2}$$

Original equation

Subtract 7c from each side.

Simplify.

Subtract 8 from each side.

Simplify.

Divide each side by -2.

Answer: c = 5

Simplify.

To check your answer, substitute 5 for *c* in the original equation.



Example 2

Solve an Equation with Grouping Symbols

Solve
$$\frac{1}{3}(18+12q) = 6(2q-7)$$
. Check your solution.

$$\frac{1}{3}(18+12q)=6(2q-7)$$

$$6 + 4q = 12q - 42$$

$$6 + 4q - 12q = 12q - 42 - 12q$$

$$6 - 8q = -42$$

$$6 - 8q - 6 = -42 - 6$$

$$-8q = -48$$

Original equation

Distributive Property

Subtract 12*q* from each side.

Simplify.

Subtract 6 from each side.

Simplify.



Example 2

Solve an Equation with Grouping Symbols

$$\frac{-8q}{-8} = \frac{-48}{-8}$$

Divide each side by -8.

$$q = 6$$

Simplify.

Answer: q = 6

To check, substitute 6 for *q* in the original equation.



Example 3

Find Special Solutions

A. Solve
$$8(5c-2) = 10(32 + 4c)$$
.

$$8(5c - 2) = 10(32 + 4c)$$

$$40c - 16 = 320 + 40c$$

$$40c - 16 - 40c = 320 + 40c - 40c$$

$$-16 = 320$$

Original equation

Distributive Property

Subtract 40c from

each side.

This statement is false.

Answer: Since –16 = 320 is a false statement, this equation has no solution.



Example 3

Find Special Solutions

B. Solve
$$4(t+20) = \frac{1}{5}(20t+400)$$
.

$$4(t+20)=\frac{1}{5}(20t+400)$$

Original equation

$$4t + 80 = 4t + 80$$

Distributive Property

Answer: Since the expression on each side of the equation is the same, this equation is an identity. The statement 4t + 80 = 4t + 80 is true for all values of t.



Example 3

Guided Practice

A. Solve
$$2(4a+8) = 3\left(\frac{8a}{3}-10\right)$$
.



Example 3

Guided Practice


B. Solve
$$\frac{1}{7}(21c-56) = 3\left(c-\frac{8}{3}\right)$$
.



Example 4

Guided Practice

Find the value of *x* so that the figures have the same area.







Key Concept Steps for Solving Equations

- Step 1 Simplify the expressions on each side. Use the Distributive Property as needed.
- Step 2 Use the Addition and/or Subtraction Properties of Equality to get the variables on one side and the numbers without variables on the other side. Simplify.
- **Step 3** Use the Multiplication or Division Property of Equality to solve.